



































MANY OF THE FEATURES OF THE

COOLWORX BIN.

- 1) FULLY INSULATED INTERNALLY WITH PU FOAM THAT WILL MEET R2.51 RATING.
- 2) DRAIN PLUGS ON 2 SIDES.
- 3) SLOPPING MIDDLE FLOOR TO HELP FULLY DRAIN ALL LIQUIDS.
- 4) DUMMY HOLES TO HOLD PLUGS WHILST EMPTYING.
- 5) FINGER GAPS IN THE TOP OF BIN FOR EASY LID LIFTING ACCESS.
- 6) LIFT POINTS IN CORNERS FOR MARINE AND SEAFOOD LIFTING SYSTEMS.
- 7) CERTIFIED LIFTING CHAINS FOR THE MARINE INDUSTRY WILL BE AVAILABLE SOON. (BINLUGZ).
- 8) 8 X TPU CLIPS TO HOLD DOWN LID TIGHT.
- 9) TPU CLIPS CAN BE FOLDED BACK INTO LID TO PREVENT DAMAGE OR LOSS.
- 10) 4 WAY ACCESS FOR FORKLIFTS AND 2 WAY ENTRY FOR PALLET JACKS/TROLLEYS.
- 11) STACKABLE LIDS FOR TRANSPORTING.
- 12) SEAL OPTION IN LID FOR AIRTIGHT SEAL WHEN FULLY CLIPPED DOWN.
- 13) LID HAS PROVISION FOR SECURITY TAG OR PADLOCK TO PREVENT STOCK LOSS.
- 14) BINS ARE STACKABLE IN EACH DIRECTION WITH OR WITHOUT LID.
- 15) PLUGS COMPLETELY SEAL OFF TO MAKE IT SMOOTH ON INSIDE.
- 16) THE ORING ON THE PLUG IS BEFORE THE THREAD TO STOP FLUID GETTING IN THE THREAD AREA.
- 17) THE BINS FIT AUSTRALIAN TRANSPORT PERFECTLY. 1170MM X 1170MM SQUARE.
- 18) LIDS CAN BE HUNG ON THE SIDE OF THE BIN WHILST FILLING.
- 19) COOLWORX WILL BE AVAILABLE IN 4 SIZES. 1000 LITRE, 800L, 600L AND 380L.
- 20) ROUNDED TOP EDGES ON FORKLIFT ENTRY POINTS TO REDUCE BIN DAMAGE.
- 21) LEAD IN ANGLES ON THE BOTTOM EDGES TO MINIMISE FORKS CATCHING THE EDGE.
- 22) YOUR COMPANY BRANDING ON ORDERS OVER 40 UNITS. (2 LABELS 200MM X 200MM) ON EACH BIN.
- 23) 3 OTHER SIZES WILL BE AVAILABLE MID 2024.